

TUBERÍA MONOCAPA PP-R
POLYPROPYLENE TUBES

VALVULERÍA Y FERRETERÍA NAVAL

SUMINISTROS BENI SL

INFORMACIÓN TÉCNICA TUBERIA SDR6/SERIE
2,5 → PN20

REF.	∅	Espesor (mm)	L (m)
TUBPPN16	16 mm	2,7	4
TUBPPN20	20 mm	3,4	4



INFORMACIÓN TÉCNICA TUBERIA SDR7,4/SERIE
3,2 → PN16

REF.	∅	Espesor (mm)	L (m)
TUBPP625	25 mm	3,5	4
TUBPP632	32 mm	4,4	4
TUBPP640	40 mm	5,5	4
TUBPP650	50 mm	6,9	4
TUBPP663	63 mm	8,7	4
TUBPP675	75 mm	10,4	4
TUBPP690	90 mm	12,5	4
TUBPP110	110 mm	15,2	4

Descripción:

-Tubo monocapa SDR6/SERIE2,5
-Clase 1/10 bar, clase 2/8 bar, clase 4/10 bar, clase 5/6bar.

Suministro:


-En barras de 4 metros.

ENLACE PP-R ROSCA MACHO UNIÓN SOCKET
POLYPROPYLENE NIPPLES RM





INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION


REF.	Tipo	∅	Uds caja	Dn (mm)	F	LFmin (mm)	D1 (mm)	D (mm)	L1 (mm)	L (mm)
EPPM0M16	A	16 mm	70	16,0	1/2"	13,2	14,1	37,0	15,0	55,0
EPPM0M20	A	20 mm	70	20,0	1/2"	13,2	14,1	37,0	16,0	55,0
EPPM3420	A	20 mm	50	20,0	3/4"	14,5	18,0	43,0	20,5	63,0
EPPM0M25	A	25 mm	70	25,0	1/2"	13,2	14,1	37,0	17,0	56,0
EPPM3425	A	25 mm	50	25,0	3/4"	14,5	18,0	42,0	17,5	62,0
EPPM3422	A	32 mm	40	32,0	3/4"	14,5	18,0	45,5	20,0	68,5
EPPM0132	A	32 mm	30	32,0	1"	16,8	24,0	54,0	20,0	71,0





INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION

REF.	Tip	∅	Uds caja	Dn (mm)	F	LFmin (mm)	D1 (mm)	D (mm)	L1 (mm)	L (mm)	CH (mm)	LCH (mm)
EPPM0140	C	40 mm	25	40,0	1"	16,8	24,0	56,0	22,0	86,0	34,0	13,0
EPPM1C40	B	40 mm	20	40,0	11/4"	19,1	33,0	65,0	22,0	91,0	42,0	15,0
EPPM1C50	C	50 mm	20	50,0	11/4"	19,1	33,0	70,0	25,0	93,0	42,0	15,0
EPPM1M50	B	50 mm	15	50,0	11/2"	19,1	33,0	70,0	25,0	93,0	42,0	15,0
EPPM1M63	C	63 mm	10	63,0	11/2"	19,1	38,0	88,0	29,0	97,5	50,0	15,0
EPPM0263	B	63 mm	10	63,0	2"	23,4	49,5	92,0	29,0	105,0	60,0	18,0
EPPM0275	C	75 mm	6	75,0	2"	23,4	49,5	103,0	33,0	109,0	60,0	18,0
EPPM2M75	B	75 mm	4	75,0	21/2"	26,7	63,5	110,0	33,0	112,0	80,0	20,0
-	B	90 mm	2	90,0	3"	29,8	75,0	129,0	37,0	129,0	90,0	23,0
-	B	110 mm	1	110,0	4"	35,8	99,5	160,0	43,0	148,0	115,0	30,0
-	C	125 mm	1	125,0	4"	35,8	99,5	160,0	47,5	152,5	115,0	30,0






INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION											
REF.	∅	Uds caja	Dn (mm)	D1 (mm)	D (mm)	F	LFmin (mm)	L1 (mm)	L2 (mm)	H1 (mm)	H (mm)
-	16 mm	50	16,0	14,0	37,0	1/2"	13,2	13,0	54,0	27,5	46,0
CPPM200M	20 mm	60	20,0	14,0	37,0	1/2"	13,2	16,0	54,0	27,5	46,0
CPPM250M	25 mm	50	25,0	14,0	37,0	1/2"	13,2	17,0	54,0	30,5	49,0
CPPM2534	25 mm	40	25,0	18,5	42,0	3/4"	14,5	17,0	54,0	30,5	51,5
CPPM320M	32 mm	30	32,0	14,0	42,0	1/2"	13,2	18,0	61,0	36,0	57,0
CPPM3234	32 mm	30	32,0	18,5	42,2	3/4"	14,5	18,0	61,0	36,0	57,0
CPPM3201	32 mm	25	32,0	24,0	54,0	1"	16,8	20,0	65,0	47,0	74,0




TE PP NIRON ROSCA HEMBRA UNIÓN SOCKET
POLYPROPYLENE TEE RH

INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION														
REF.	Tipo	∅	Uds caja	Dn (mm)	D1 (mm)	D2 (mm)	D (mm)	F	LFmin (mm)	L1 (mm)	L2 (mm)	L (mm)	H1 (mm)	H (mm)
-	A	16 mm	50	16,0	14,1	37,0	29,0	1/2"	11,5	14,0	26,5	53,0	33,0	53,0
TPPH200M	A	20 mm	50	20,0	14,1	37,0	29,0	1/2"	11,5	16,0	27,5	55,0	39,0	53,5
TPPH250M	A	25 mm	40	25,0	14,1	37,0	35,0	1/2"	11,5	17,0	30,5	61,0	39,0	56,5
TPPH2534	A	25 mm	35	25,0	18,5	42,0	35,0	3/4"	13,2	17,0	30,5	61,0	39,0	56,5
-	B	32 mm	30	32,0	14,1	42,0	42,0	1/2"	11,5	20,0	37,5	75,0	41,0	62,0
TPPH3234	B	32 mm	35	32,0	18,5	42,0	42,0	3/4"	13,2	20,0	37,5	75,0	41,0	62,0
TPPH3201	B	32 mm	16	32,0	24,0	54,0	42,0	1"	17,8	20,0	47,0	95,0	39,0	66,0





TE PP NIRON ROSCA MACHO UNIÓN SOCKET
POLYPROPYLENE TEE RM


INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION														
REF.	Tipo	∅	Uds caja	Dn (mm)	D1 (mm)	D2 (mm)	D (mm)	F	LFmin (mm)	L1 (mm)	L2 (mm)	L (mm)	H1 (mm)	H (mm)
-	A	16 mm	50	16,0	14,1	37,0	29,0	1/2"	13,2	14,0	26,5	53,0	48,0	62,5
TPPM200M	A	20 mm	50	20,0	14,1	37,0	29,0	1/2"	13,2	16,0	27,5	55,0	54,0	68,5
-	A	25 mm	40	25,0	14,1	37,0	35,0	1/2"	13,2	17,0	30,5	61,0	54,0	71,5
-	A	25 mm	30	25,0	18,5	42,0	35,0	3/4"	14,5	17,0	30,5	61,0	56,0	73,5
-	B	32 mm	25	32,0	14,1	42,0	42,0	1/2"	13,2	20,0	37,5	75,0	56,0	77,0
-	B	32 mm	24	32,0	18,5	42,0	42,0	3/4"	14,5	20,0	37,5	75,0	58,0	79,0
TPPM3201	B	32 mm	14	32,0	24,0	54,0	42,0	1"	16,8	20,0	47,0	95,0	63,5	85,0



INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION										
REF.	Tipo	∅	Uds caja	Dn (mm)	F	LFmin (mm)	D1 (mm)	D (mm)	L1 (mm)	L (mm)
-	A	16 mm	70	16,0	1/2"	11,5	14,1	37,0	15,0	40,0
EPPH0M20	A	20 mm	70	20,0	1/2"	11,5	14,1	37,0	16,0	40,0
EPPH3420	A	20 mm	60	20,0	3/4"	13,2	18,0	43,0	20,5	46,0
EPPH0M25	A	25 mm	90	25,0	1/2"	11,5	14,1	37,0	17,0	41,0
EPPH3425	A	25 mm	60	25,0	3/4"	13,2	18,0	42,0	18,0	46,0
EPPH3432	A	32 mm	50	32,0	3/4"	13,2	18,0	45,5	21,5	51,5
EPPH0132	A	32 mm	30	32,0	1"	18,0	24,0	54,0	20,0	52,0




INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION												
REF.	Tipo	∅	Uds caja	Dn (mm)	F	LFmin (mm)	D1 (mm)	D (mm)	L1 (mm)	L (mm)	CH (mm)	LCH (mm)
EPPH0140	C	40 mm	30	40,0	1"	15,0	24,0	56,0	22,0	67,0	38,0	15,0
EPPH1C40	B	40 mm	25	40,0	1 1/4"	21,4	33,0	66,0	22,0	69,0	46,0	15,0
EPPH1C50	C	50 mm	25	50,0	1 1/4"	21,4	33,0	70,0	25,0	71,0	46,0	15,0
EPPH1M50	B	50 mm	16	50,0	1 1/2"	19,0	39,5	75,0	25,0	72,0	55,0	15,0
EPPH1M63	C	63 mm	15	63,0	1 1/2"	19,0	39,5	88,0	29,0	71,0	55,0	15,0
EPPH0263	B	63 mm	12	63,0	2"	23,7	50,0	92,0	29,0	80,0	65,0	20,0
EPPH0275	C	75 mm	4	75,0	2"	23,7	50,0	103,0	33,0	84,0	65,0	20,0
EPPH2M75	B	75 mm	6	75,0	2 1/2"	30,2	63,5	110,0	33,0	89,0	80,0	20,0
EPPH0390	B	90 mm	4	90,0	3"	33,3	75,0	129,0	37,0	99,0	95,0	23,0
-	B	110 mm	2	110,0	4"	39,3	99,5	160,0	43,0	111,0	120,0	30,0
-	C	125 mm	1	125,0	4"	39,3	99,5	160,0	47,5	115,5	120,0	30,0



INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION


REF.	Tipo	∅	Uds caja	Dn (mm)	D1 (mm)	D (mm)	F	LFmin (mm)	L1 (mm)	L2 (mm)	L (mm)	H1 (mm)	H (mm)	CH (mm)	LCH (mm)
CPPH160M	A	16 mm	60	16,0	14,0	37,0	1/2"	11,5	13,0	39,0	53,5	27,5	46,0	-	-
CPPH200M	A	20 mm	60	20,0	14,0	37,0	1/2"	11,5	16,0	39,0	53,5	27,5	46,0	-	-
CPPH250M	A	25 mm	50	25,0	14,0	37,0	1/2"	11,5	17,0	39,0	56,5	30,5	49,0	-	-
CPPH2534	A	25 mm	40	25,0	18,5	42,0	3/4"	13,2	17,0	39,0	56,5	30,5	51,5	-	-
CPPH320M	B	32 mm	30	32,0	14,0	42,0	1/2"	11,5	18,0	46,0	67,0	36,0	57,0	-	-
CPPH3234	B	32 mm	35	32,0	18,5	42,0	3/4"	13,2	18,0	46,0	67,0	36,0	57,0	-	-
CPPH3201	B	32 mm	30	32,0	24,0	54,0	1"	18,0	20,0	46,0	67,0	47,0	74,0	-	-
CPPH401	B	40 mm	20	40,0	24,0	57,0	1"	18,0	20,0	52,0	79,0	43,0	72,0	46,0	15,0
	C	50 mm	10	50,0	33,0	70,0	1 1/4"	21,4	25,0	66,0	101,0	51,0	86,0	55,0	15,0
CPPH501M	C	50 mm	10	50,0	39,5	70,0	1 1/2"	19,0	25,0	66,0	101,0	51,0	86,0	55,0	15,0
	C	63 mm	4	63,0	39,5	88,0	1 1/2"	19,0	29,0	77,0	121,0	62,0	106,0	65,0	20,0
CPPH6302	C	63 mm	4	63,0	50,0	88,0	2"	23,7	29,0	82,0	126,0	62,0	106,0	65,0	20,0



CODO PLACA 90° ROSCA HEMBRA
UNION SOCKET

INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION

REF.	∅	Uds caja	Dn (mm)	D1 (mm)	D2 (mm)	D (mm)	F	LFmin (mm)	L1 (mm)	L2 (mm)	L (mm)	H1 (mm)	H2 (mm)	H (mm)
-	16 mm	40	16,0	14,0	3,0	37,0	1"	11,5	13,0	39,0	53,5	27,5	57,0	63,5
CPPPOM20	20 mm	40	20,0	14,0	3,0	37,0	1 1/4"	11,5	16,0	39,0	53,5	27,5	57,0	63,5



RACOR LOCO PP NIRON TL-H
NIRON TL-H PP NIRON

INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION

REF.	∅	Uds caja	Dn (mm)	F	LF (mm)	D1 (mm)	D (mm)	L1 (mm)	L2 (mm)	L (mm)	CH (mm)	LCH (mm)
PPTL3420	20 mm	10	20,0	3/4"	10,8	14,1	37,0	16,0	40,0	62,0	30,0	14,0
PPTL3425	25 mm	20	25,0	3/4"	10,8	14,1	37,0	17,0	41,0	62,0	30,0	14,0
PPTL0125	25 mm	10	25,0	1"	11,5	18,0	42,0	18,0	46,0	70,5	37,0	15,0
PPTL0132	32 mm	15	32,0	1"	11,5	18,0	45,5	21,5	51,0	76,0	37,0	15,0
PPTL1C32	32 mm	30	32,0	1 1/4"	14,0	24,0	54,5	20,0	53,0	81,0	46,0	18,0
PPTL1C40	40 mm	20	40,0	1 1/4"	14,0	24,0	56,0	22,0	67,0	93,0	46,0	18,0
PPTL1M40	40 mm	24	40,0	1 1/2"	14,0	33,0	66,0	22,0	69,0	98,0	52,0	18,0
-	50 mm	16	50,0	1 1/2"	14,0	33,0	70,0	25,0	56,0	101,0	52,0	18,0
-	50 mm	16	50,0	2"	17,5	39,5	76,5	25,0	72,0	107,0	64,5	24,0
-	63 mm	10	63,0	2"	17,5	39,5	88,0	29,0	75,0	110,0	64,5	24,0
-	63 mm	8	63,0	2 1/2"	21,0	50,0	93,0	29,0	81,0	135,5	81,5	25,5


TE PP NIRON REDUCIDA
REDUCED POLYPROPYLENE TEE

VALVULERIA Y FERRETERIA NAVAL


SUMINISTROS BENI SL



A




B



INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION


REF.	Tipo	Ø	Uds caja	Dn1 (mm)	Dn2 (mm)	Dn3 (mm)	D1 (mm)	D2 (mm)	D3 (mm)	D4 (mm)	D (mm)	L1 (mm)	L2 (mm)	L3 (mm)	L (mm)	H1 (mm)	H (mm)
-	A	16X20X16 mm	150	16,0	20,0	16,0	13,5	14,0	13,5	29,0	29,0	14,0	16,0	14,0	53,0	27,0	42,0
-	A	20x16x20 mm	150	20,0	16,0	20,0	16,5	13,5	16,5	29,0	29,0	16,0	14,0	16,0	53,0	27,0	42,0
-	A	25x16x25 mm	80	25,0	16,0	25,0	21,0	13,5	21,0	29,0	35,0	17,0	14,0	17,0	62,0	30,0	47,5
TPPN2520	A	25x20x25 mm	80	25,0	20,0	25,0	21,0	16,5	21,0	29,0	35,0	17,0	16,0	17,0	62,0	30,0	47,5
TPPN3220	A	32x20x32 mm	40	32,0	20,0	32,0	30,0	16,5	30,0	29,0	46,0	20,0	16,0	20,0	75,0	35,0	58,0
TPPN2532	A	32x25x32 mm	40	32,0	25,0	32,0	30,0	21,0	30,0	35,0	46,0	20,0	17,0	20,0	75,0	35,0	58,0
TPPN2040	A	40x20x40 mm	20	40,0	20,0	40,0	36,0	16,5	36,0	33,0	53,0	24,0	16,0	24,0	74,0	39,0	66,0
TPPN2540	A	40x25x40 mm	25	40,0	25,0	40,0	36,0	21,0	36,0	33,0	53,0	24,0	20,0	24,0	74,0	39,0	66,0
TPPN3240	A	40x32x40 mm	18	40,0	32,0	40,0	35,0	30,0	35,0	54,0	54,0	22,0	20,0	22,0	87,0	43,0	70,0
TPPN2050	A	50x20x50 mm	12	50,0	20,0	50,0	47,0	16,5	47,0	43,0	66,0	26,0	16,0	26,0	87,0	47,0	80,0
TPPN250	A	50x25x50 mm	10	50,0	25,0	50,0	47,0	21,0	47,0	43,0	66,0	26,0	20,0	26,0	87,0	47,0	80,0
TPPN3250	A	50x32x50 mm	10	50,0	32,0	50,0	47,0	30,0	47,0	43,0	66,0	26,0	20,0	26,0	87,0	47,0	80,0
TPPN4050	A	50x40x50 mm	10	50,0	40,0	50,0	43,0	36,0	43,0	66,0	66,0	23,0	22,0	23,0	102,0	50,0	83,0
TPPN2563	A	63x25x63 mm	10	63,0	25,0	63,0	60,0	21,0	60,0	53,0	83,0	30,0	21,0	30,0	102,0	54,0	96,0
TPPN3263	A	63x32x63 mm	6	63,0	32,0	63,0	60,0	30,0	60,0	53,0	83,0	30,0	21,0	30,0	102,0	54,0	96,0
TPPN4063	A	63x40x63 mm	6	63,0	40,0	63,0	60,0	36,0	60,0	53,0	83,0	30,0	23,0	30,0	102,0	54,0	96,0
TPPN5063	A	63x50x63 mm	6	63,0	50,0	63,0	50,0	46,0	50,0	80,0	80,0	25,0	26,0	25,0	122,0	64,0	104,0
-	A	75x32x75 mm	8	75,0	32,0	75,0	60,0	22,0	60,0	43,0	98,0	30,0	18,0	30,0	139,0	67,0	116,0
TPPN7540	A	75x40x75 mm	6	75,0	40,0	75,0	60,0	36,0	60,0	65,0	98,0	30,0	23,0	30,0	139,0	69,0	118,0
TPPN7550	A	75x50x75 mm	6	75,0	50,0	75,0	70,0	46,0	70,0	70,0	101,0	33,0	25,0	33,0	146,0	73,0	123,5
-	A	75x63x75 mm	6	75,0	63,0	75,0	70,0	59,0	70,0	86,0	101,0	33,0	29,0	33,0	146,0	73,0	123,5
TPPN9063	A	90x63x90 mm	4	90,0	63,0	90,0	78,0	50,0	78,0	85,0	120,0	33,0	27,0	33,0	160,0	73,0	133,0
-	A	90x75x90 mm	10	90,0	75,0	90,0	87,0	71,0	87,0	114,0	114,0	37,0	33,0	37,0	167,0	83,0	140,0
-	A	110x63x110 mm	5	110,0	63,0	110,0	100,0	59,0	100,0	86,0	146,0	43,0	33,0	43,0	200,0	100,0	173,0
-	A	110x75x110 mm	5	110,0	75,0	110,0	100,0	69,0	100,0	101,0	146,0	43,0	33,0	43,0	200,0	100,0	173,0
-	A	110x90x100 mm	4	110,0	90,0	110,0	100,0	85,0	100,0	119,0	146,0	43,0	37,0	43,0	200,0	100,0	173,0
-	A	125x75x125 mm	20	125,0	75,0	125,0	113,0	69,0	113,0	101,0	165,0	47,5	33,0	47,5	250,0	115,0	197,5
-	A	125x90x125 mm	3	125,0	90,0	125,0	113,0	85,0	113,0	122,0	135,0	47,5	37,0	47,5	250,0	115,0	197,5
-	A	125x110x125 mm	20	125,0	110,0	125,0	113,0	110,0	113,0	146,0	165,0	47,5	250,0	120,0	250,0	120,0	202,5
-	B	20X16X16 mm	150	20,0	16,0	16,0	14,0	13,5	13,5	29,0	29,0	16,0	14,0	14,0	53,0	27,0	42,0
TPPO2020	B	25X20X20 mm	90	25,0	20,0	20,0	21,0	16,5	16,5	29,0	35,0	17,0	16,0	16,0	62,0	30,0	47,5
-	B	32X25X25 mm	50	32,0	25,0	25,0	30,0	21,0	21,0	35,0	46,0	20,0	17,0	17,0	75,0	35,0	58,0





INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION										
REF.	∅	Uds caja	Dn (mm)	D1 (mm)	D (mm)	L1 (mm)	L2 (mm)	L (mm)	H1 (mm)	H (mm)
TPP00N16	16 mm	100	16,0	13,0	24,0	14,5	23,5	47,0	23,5	35,5
TPP00N20	20 mm	150	20,0	18,0	33,0	16,0	27,0	54,0	27,0	43,5
TPP00N25	25 mm	80	25,0	21,0	35,0	17,0	31,5	63,0	31,5	49,0
TPP00N32	32 mm	40	32,0	30,0	46,0	20,0	37,0	74,0	37,0	60,0
TPP00N40	40 mm	30	40,0	36,0	56,0	22,0	43,0	86,0	43,0	71,0
TPP00N50	50 mm	16	50,0	46,0	70,0	25,0	51,0	102,0	51,0	86,0
TPP00N63	63 mm	8	63,0	59,0	88,0	29,0	62,0	124,0	62,0	106,0
TPP00N75	75 mm	6	75,0	70,0	101,0	33,0	73,0	146,0	73,0	123,5
TPP00N90	90 mm	10	90,0	88,0	123,0	37,0	85,0	170,0	85,0	144,0
TPP00110	110 mm	40	110,0	100,0	146,0	43,0	100,0	200,0	100,0	173,0
-	125 mm	3	125,0	113,0	165,0	47,5	125,0	250,0	125,0	207,5

RACOR TRES PIEZAS UNIÓN SOCKET
POLYPROPYLENE-R UNION THREE-PIECE ALL



INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION									
REF.	∅ (mm)	Uds caja	Dn1 (mm)	Dn2 (mm)	D1 (mm)	D (mm)	L1 (mm)	L2 (mm)	L (mm)
PP340020	20 mm	30	20,0	20,0	14,0	53,0	20,0	20,0	73,0
PP340025	25 mm	26	25,0	25,0	18,0	57,0	20,0	20,0	70,0
PP340032	32 mm	20	32,0	32,0	24,0	67,0	20,0	20,0	70,0
PP340040	40 mm	18	40,0	40,0	29,0	77,0	20,0	20,0	70,0


REDUCCION PP MACHO/HEMBRA UNION SOCKET
POLYPROPYLENE M/F REDUCER PIPE

VALVULERIA Y FERRETERIA NAVAL


SUMINISTROS BENI SL



A



Sugerencia instalación




INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION

REF.	Tipo	∅	Uds caja	Dn1 (mm)	S1 (mm)	Dn2 (mm)	D (mm)	L1 (mm)	L2 (mm)	L (mm)
RPPN2016	A	20/16 mm	150	20,0	3,4	16,0	24,0	16,0	18,0	37,0
RPPN2516	A	25/16 mm	100	25,0	4,2	16,0	26,0	19,0	18,0	39,0
RPPN2520	A	25/20 mm	100	25,0	4,2	20,0	29,0	19,0	16,0	41,0
RPPN3225	A	32/25 mm	80	32,0	5,4	25,0	35,0	22,0	17,0	44,0
RPPN4032	A	40/32 mm	40	40,0	6,7	32,0	46,0	25,0	20,0	50,0
RPPN5040	A	50/40 mm	40	50,0	8,3	40,0	56,0	28,0	22,0	55,0
RPPN6350	A	63/50 mm	20	63,0	10,5	50,0	70,0	32,0	25,0	54,0
RPPN7563	A	75/63 mm	12	75,0	12,5	63,0	83,0	36,0	29,0	74,0
RPPN9075	A	90/75 mm	18	90,0	15,0	75,0	96,0	37,0	34,0	80,0
RPPN1190	A	110/90 mm	6	110,0	18,3	90,0	130,0	55,0	35,0	110,0
-	A	125/110 mm	4	125,0	20,8	110,0	139,0	50,0	43,0	114,0



B




Sugerencia instalación





INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION

REF.	Tipo	∅	Uds caja	Dn1 (mm)	S1 (mm)	Dn2 (mm)	D1 (mm)	D (mm)	L1 (mm)	L2 (mm)	L (mm)
RPPN3220	B	32/20 mm	80	32,0	5,4	20,0	16,0	29,0	20,0	16,0	45,0
RPPN4020	B	40/20 mm	80	40,0	6,7	20,0	16,0	29,0	25,0	16,0	45,0
RPPN4025	B	40/25 mm	60	40,0	6,7	25,0	21,0	35,0	25,0	17,0	45,0
RPPN5020	B	50/20 mm	50	50,0	8,3	20,0	16,0	29,0	28,0	16,0	53,0
RPPN5025	B	50/25 mm	40	50,0	8,3	25,0	21,0	35,0	28,0	17,0	53,0
RPPN5032	B	50/32 mm	50	63,0	8,3	32,0	30,0	46,0	28,0	20,0	53,0
RPPN6325	B	63/25 mm	30	63,0	10,5	25,0	21,0	35,0	32,0	17,0	60,0
RPPN6332	B	63/32 mm	20	63,0	10,5	32,0	30,0	46,0	32,0	20,0	60,0
RPPN6340	B	63/40 mm	25	63,0	10,5	40,0	37,0	56,0	32,0	22,0	60,0
-	B	75/20 mm	16	75,0	12,5	20,0	20,0	26,5	35,0	5,0	62,0
-	B	75/25 mm	20	75,0	12,5	25,0	25,0	33,0	34,0	9,0	62,0
-	B	75/32 mm	24	75,0	12,5	32,0	32,0	43,0	35,0	12,0	62,0
RPPN7540	B	75/40 mm	18	75,0	12,5	40,0	40,0	43,0	35,0	25,0	62,0
RPPN7550	B	75/50 mm	20	75,0	12,5	50,0	50,0	66,0	34,0	20,0	59,0
RPPN1163	B	110/63 mm	25	110,0	18,3	63,0	59,0	88,0	46,0	29,0	80,0




INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION

REF	Ø	Uds caja	Dn (mm)	D (mm)	L1 (mm)	L (mm)
-	16 mm	150	16,0	29,0	14,0	53,0
TAPPP020	20 mm	150	20,0	29,0	16,0	53,0
TAPPP025	25 mm	80	25,0	35,0	17,0	62,0
TAPPP032	32 mm	80	32,0	35,0	17,0	62,0
TAPPP040	40 mm	40	40,0	46,0	20,0	75,0
TAPPP050	50 mm	40	50,0	46,0	20,0	75,0
TAPPP063	63 mm	20	63,0	53,0	24,0	74,0
TAPPP075	75 mm	25	75,0	53,0	24,0	74,0
TAPPP090	90 mm	18	90,0	54,0	22,0	87,0
-	110 mm	12	110,0	66,0	26,0	87,0
-	125 mm	10	125,0	66,0	26,0	87,0


PORTABRIDA / VALONA PP UNIÓN SOCKET
POLYPROPYLENE STUB END

INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION

REF	Tipo	Ø	Uds caja	Dn (mm)	D (mm)	D1 (mm)	D2 (mm)	L1 (mm)	L (mm)
PORTABRIDAS CON JUNTA TÓRICA UNIÓN SOCKET									
PPPBR032	A	32 mm	100	32,0	51,0	28,0	40,6	18,0	26,0
PPPBR040	A	40 mm	50	40,0	64,0	36,0	49,4	20,5	30,0
PPPBR050	A	50 mm	36	50,0	73,2	45,5	61,0	23,5	34,0
PPPBR063	A	63 mm	20	63,0	90,5	56,5	76,0	27,5	38,0
PPPBR075	A	75 mm	12	75,0	104,5	71,0	90,0	30,0	42,0
PORTABRIDAS CON JUNTA PLANA UNIÓN SOCKET									
PPPBR090	B	90 mm	8	90,0	84,0	84,0	107,0	37,0	46,0
PPPBR110	B	110 mm	10	110,0	102,0	102,0	131,0	43,0	57,0
-	B	125 mm	8	125,0	120,0	120,0	146,0	47,5	62,5

CODO 45° PP UNION SOCKET H/H
POLYPROPYLENE F/F 45° ELBOW

VALVULERIA Y FERRETERIA NAVAL


SUMINISTROS BENI SL



INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION

REF.	∅	Uds caja	Dn1 (mm)	D1 (mm)	D (mm)	L1 (mm)	L (mm)	H1 (mm)	H (mm)
C45PP016	16 mm	150	16,0	15,0	25,0	13,0	33,0	16,5	37,0
C45PP020	20 mm	200	20,0	16,5	29,0	16,0	33,0	21,5	46,0
C45PP025	25 mm	150	25,0	23,5	34,0	16,0	46,0	24,5	53,5
C45PP032	32 mm	50	32,0	30,0	42,0	20,0	56,0	29,0	64,0
C45PP040	40 mm	30	40,0	36,0	53,0	22,0	67,0	32,0	72,5
C45PP050	50 mm	30	50,0	47,5	66,0	25,0	83,5	39,5	90,0
C45PP063	63 mm	35	63,0	60,0	83,0	29,0	102,0	45,0	105,0
C45PP075	75 mm	16	75,0	70,0	99,0	33,0	129,5	65,0	145,0
C45PP090	90 mm	12	90,0	86,0	123,5	37,0	145,0	57,0	140,0
C45PP110	110 mm	6	110,0	100,0	146,0	43,0	172,5	70,0	169,5
C45PP125	125 mm	4	125,0	113,0	165,0	47,5	194,0	78,0	189,5


MANGUITO UNION SOCKET
POLYPROPYLENE SOCKETS



INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION

REF.	∅	Uds caja	Dn (mm)	D1 (mm)	D (mm)	L1 (mm)	L (mm)
-	16 mm	150	16,0	15,0	24,5	16,0	34,0
PP270020	20 mm	300	20,0	18,0	29,0	17,0	35,0
PP270025	25 mm	150	25,0	20,0	35,0	18,0	39,0
PP270032	32 mm	40	32,0	30,0	46,0	20,0	43,0
PP270040	40 mm	50	40,0	37,0	56,0	22,0	48,0
PP270050	50 mm	20	50,0	47,0	70,0	25,0	54,0
PP270063	63 mm	15	63,0	60,0	88,0	29,0	62,0
PP270075	75 mm	35	75,0	70,0	101,0	33,0	71,0
PP270090	90 mm	24	90,0	87,5	114,5	37,0	77,0
PP270110	110 mm	12	110,0	106,0	151,0	46,0	92,0
-	125 mm	4	125,0	117,0	160,0	47,5	102,0





INFORMACIÓN TÉCNICA- TECHNICAL INFORMATION

REF	Tipo	Ø	Uds caja	Dn (mm)	D1 (mm)	D (mm)	L1 (mm)	L2 (mm)	L (mm)	H1 (mm)	H (mm)
C90PP016	A	16 mm	150	16,0	15,0	25,0	13,0	24,0	36,0	24,0	36,0
C90PP020	A	20 mm	200	20,0	16,5	29,0	16,0	27,0	41,5	27,0	41,5
C90PP025	A	25 mm	100	25,0	23,5	35,5	16,0	31,0	49,0	31,0	49,0
C90PP032	A	32 mm	50	32,0	30,0	46,0	20,0	37,0	60,0	37,0	60,0
C90PP040	A	40 mm	40	40,0	36,0	56,0	22,0	43,0	71,0	43,0	71,0
C90PP050	A	50 mm	25	50,0	46,0	70,0	25,0	51,0	86,0	51,0	86,0
C90PP063	A	63 mm	25	63,0	59,0	88,0	29,0	62,0	106,0	62,0	106,0
C90PP075	A	75 mm	15	75,0	70,0	101,0	33,0	73,0	123,5	73,0	123,5
C90PP090	A	90 mm	10	90,0	86,0	123,0	37,0	85,0	144,0	85,0	144,0
C90PP110	A	110 mm	4	110,0	100,0	146,0	43,0	100,0	173,0	100,0	173,0
C90PP125	A	125 mm	4	125,0	113,0	165,0	47,5	125,0	207,5	125,0	207,5